Aaron Wey MD, FAAOS, FACS
Adult & Pediatric Spine Surgeon
Complex & Comprehensive Spine Surgery

Aaron Wey, MD, FAAOS, FACS
870 Palisade Ave, Suite 205, Teaneck, NJ 07666
Tel (201) 836-1663 - Fax (201) 836-5729
aaronweymd.com

Knee Dislocation, LCL and/or Chronic

November 1, 2026

This is the rehabilitation plan I ask your physical therapist to follow after your Knee Dislocation, LCL and/or Chronic. Bring it to your first therapy visit. It is a framework, not a prescription: your therapist adjusts the pace to how you are healing, and anything we discussed in the office takes precedence over what is printed here. If something on this page does not match what we talked about, ask me.

Operation Knee Dislocation, LCL and/or Chronic

Physical therapist Please send progress notes to the office and call with any question about the plan.

Days 1-14

EXERCISES

- Dressing - POD 1: Debulk dressing, TED Hose in place
  - POD 2: Change dressing, keep wound covered, continue TED Hose
  - POD 7-10: Sutures out, D/C TED Hose when effusion resolved
- Brace - Locked in extension x 4 weeks
- Crutches - Flat foot weight bearing (FFWB) in brace
- No AROM or Stationary bike x 6 weeks
- Passive range of motion (PROM) 0-45
- Patellar mobilization
- Calf pumping
- Passive extension to 0 degrees, No hyperextension
  - Calf (not heel) on bolster or prone hangs with tibia supported
- Electrical stimulation in full extension with quad sets and SLR
- Quad sets, Co-contractions quads / HS
- Straight leg raise (SLR) x 4 on mat in brace (parallel bars if poor quad control)
- Ice pack with knee in full extension after exercise

GOALS

- PROM 0-45 degrees
- Good quad control

Weeks 2-4

EXERCISES

- Brace - Locked in extension x 4 weeks
- Crutches - Partial weight bearing (PWB) in brace
- Continue appropriate previous exercises
- Active assisted range of motion (AAROM) by patient 0-45 degrees
- No AROM or Stationary bike x 6 weeks
- Scar massage when incision healed
- Weight shifts, Mini squats 0-30 degrees, in brace (supported in parallel bars)
- Stretches - hip flexors, Hamstring with leg supported in brace

Aaron Wey MD, FAAOS, FACS
Adult & Pediatric Spine Surgeon
Complex & Comprehensive Spine Surgery

Aaron Wey, MD, FAAOS, FACS
870 Palisade Ave, Suite 205, Teaneck, NJ 07666
Tel (201) 836-1663 - Fax (201) 836-5729
aaronweymd.com

Knee Dislocation, LCL and/or Chronic (continued)

November 1, 2026

GOALS

- AAROM 0-45 degrees
- No extensor lag

Weeks 4-6

EXERCISES

- Brace - Open to available range if pt has good quad control
  - Not to exceed 60 degrees
- Crutches - PWB, progress to weight bearing as tolerated (WBAT)
- Continue appropriate previous exercises
- AAROM by patient 0-60 degrees
- No AROM or Stationary bike x 6 weeks
- Multi-angle Co-contractions quads / Hamstring at 0, 20, 40, 60
- SLR x 3 directions on mat without brace (no ABD) - No resistance
  - No ADD if MCL involved
- Mini squats 0-45 degrees, supported in parallel bars
- Double leg heel raises

GOALS

- AAROM 0-60 degrees

Weeks 6-8

EXERCISES

- D/C Brace
- Crutches - weight bearing as tolerated (WBAT), D/C when gait is normal
- Continue appropriate previous exercises
- PROM, AAROM, AROM 0-90 degrees
- Limited arc open chain quad extension 75-60 degrees, light weight
- Partial wall squats - No knee flexion past 45 degrees
- Forward, lateral, and retro step downs in parallel bars
  - No knee flexion past 45 degrees (small step)
- SLR x 3 (no ABD) with light weight below knee - No ADD if MCL involved
- Single leg heel raises
- Leg press with resistance no more than ¼ body weight
  - No knee flexion past 45 degrees
- Stationary bike to assist with range of motion
- Treadmill - Forward walking

GOALS

- Active range of motion (AROM) 0-90 degrees
- Normal gait

Aaron Wey MD, FAAOS, FACS
Adult & Pediatric Spine Surgeon
Complex & Comprehensive Spine Surgery

Aaron Wey, MD, FAAOS, FACS
870 Palisade Ave, Suite 205, Teaneck, NJ 07666
Tel (201) 836-1663 - Fax (201) 836-5729
aaronweymd.com

Knee Dislocation, LCL and/or Chronic (continued)

November 1, 2026

Weeks 8-10

EXERCISES

- Continue appropriate previous exercises
- PROM, AAROM, AROM 0-115 degrees
- Leg press with resistance no more than 1/2 body weight
- Hamstring curls - Carpet drags or rolling stool (closed chain)
- Hip machine x 4 bilaterally - Including ABD (and ADD)
- Proprioceptive training - Single leg standing in parallel bars
  - Double leg BAPS for weight shift
- Stationary bike with minimal resistance
- Elliptical trainer
- Treadmill - Forwards and backwards walking
- Pool therapy - Walking / running (no kicking)

GOALS

- ROM 0-115

Weeks 10-12

EXERCISES

- Continue appropriate previous exercises
- PROM, AAROM, AROM to regain full motion
- Standing SLR x 4 with Theraband bilaterally
- Leg Press 0-90 degrees with resistance as tolerated
- Proprioceptive training - Single leg BAPS, ball toss and body blade
- Stationary bike for progressive resistance and time
- Treadmill - Walking progression program

GOALS

- Full AROM

Months 3-4

EXERCISES

- Sports Brace (per Ortho)
- Continue appropriate previous exercises with progressive resistance
- Leg press with single leg, no > 90 degrees
- Hamstring curl weight machine 0-90 degrees, light resistance < ¼ body weight
- Knee extension weight machine 0-90 degrees as tolerated
- Fitter
- Slide board
- Swimming

Aaron Wey MD, FAAOS, FACS
Adult & Pediatric Spine Surgeon
Complex & Comprehensive Spine Surgery

Aaron Wey, MD, FAAOS, FACS
870 Palisade Ave, Suite 205, Teaneck, NJ 07666
Tel (201) 836-1663 - Fax (201) 836-5729
aaronweymd.com

Knee Dislocation, LCL and/or Chronic (continued)

November 1, 2026

GOALS

- Walk 2 miles at 15 min/mile pace

Months 4-6

EXERCISES

- Continue appropriate previous exercises
- Sit-up progression
- Treadmill - Continue speed walking, no running yet
- Stretches - Quads, ITB
- Transition to home / gym program

GOALS

- Walk 3 miles at 15 min/mile pace

Months 6-12

EXERCISES

- Biodex depending on patient progress and surgeon request
- Continue appropriate previous exercises
- Agility drills / Plyometrics
- Treadmill - Running progression program

GOALS

- Return to all activities
- Pass a return-to-sport / fitness test at 12 months post-op
- No contact or cutting sports until 12 months post-op

Home exercise sheet - knee phase 1

Perform exercises below frequently: 30 reps 3-5x a day

- Quad Isometrics
- Heel Slides
- Active Assisted Motion
- Ice Position 15 minutes 2-3 x per day

Abbreviations

AROM / AAROM / PROM: active / active-assisted / passive range of motion. ROM: range of motion. ER / IR: external / internal rotation. ABD / ADD: abduction / adduction (away from / toward the midline). FLEX / EXT: flexion / extension. WBAT / PWB / TTWB / NWB: weight bearing as tolerated / partial / toe-touch / non-weight bearing. SLR: straight leg raise. HS: hamstrings. ITB: iliotibial band. UE / LE: upper / lower extremity. UBE: upper body ergometer (arm bike). BAPS: balance board. BFR: blood flow restriction training. PREs: progressive resistance exercises. D/C: discontinue. prn: as needed. POD: post-operative day. TENS: transcutaneous electrical nerve stimulation. ADLs: activities of daily living.

Aaron Wey MD, FAAOS, FACS
Adult & Pediatric Spine Surgeon
Complex & Comprehensive Spine Surgery

Aaron Wey, MD, FAAOS, FACS
870 Palisade Ave, Suite 205, Teaneck, NJ 07666
Tel (201) 836-1663 - Fax (201) 836-5729
aaronweymd.com

Knee Dislocation, LCL and/or Chronic (continued)

November 1, 2026

Source

Adapted from William Beaumont Army Medical Center, Physical Therapy Section, "Knee Dislocation LCL or chronic WB08", Revised August 2008, published by William Beaumont Army Medical Center at https://william-beaumont.tricare.mil/Health-Services/Hospital-Care-Surgery/Post-Operative-Rehabilitation-Protocols (a work of the U.S. Government in the public domain).

Scan for the current version of this protocol, and the others, at aaronweymd.com/post-op-protocols
aaronweymd.com/post-op-protocols/knee-dislocation-lcl/